INDEX TO
EXPERIMENTAL TECHNIQUES

Volume 8, 1984

Title Index

Analysis of Stress Transmission in Skulls by Photoelastic Coating — A.T. Andonian and A. Tudor, 19-22 (Mar.).
Application of a Peak-valley Detector for Secant Stiffness Measurement — R. Stiffler, 17-20 (Jan.).
Application of the Oblique-incidence Technique for Economic Photoelastic Analysis — I.M. Allison, 25-29 (Jan.).
Bonded-resistance Gages for Fatigue-crack Lengths in Nodular Iron — K.P. Jen, J.T. Scardina and D.G. Smith, 26-29 (Apr.).
Bulkhead Strain-gage Cable Penetration — H.L. Dykstra, 29 (Mar.).
Bulk-shear Testing of Solid-film Adhesives with Symmetric Rail-shear-test Specimen — E. Sancaktar, 27-30 (July).
Cable Splice for Hydro Service — H.L. Dykstra, 32 (Feb.).
Cable Water Stop — H.L. Dykstra, 33 (July).
Dynamic Tensile Tests of Composite Materials Using a Split-Hopkinson Pressure Bar — C.A. Ross, W.H. Cook and L.L. Wilson, 30-33 (Nov.).
Embedded Strain Gaging of Plastic Models — E.G. Little, 19-22 (Apr.).
Errors in Strain Measurement—The Human Factor (or How Much Do I Contribute?) — J. Pople, 34-38 (Sept.).
Euler Buckling Demonstration — Y. Sugiyama, 27-28 (Aug.).
Experimental Method for Predicting Residual Stresses Due to Turning in Stainless Steel — N. Devarajan, M.K. Asundi and S. Somasundaram, 22-26 (Aug.).
Gradient Approach to Thermocouple Circuitry, Part I—Background and Basic Premise, The — R.J. Moffat, 24-25 (Mar.).
Gradient Approach to Thermocouple Circuitry, Part II—Illustrations of the Method, The — R.J. Moffat, 23-25 (Apr.).
Grating Recording for Moiré Testing — K.G. Harding, S.H. Mersch and R.E. Clark, 23-26 (June).
High-frequency, High-reflectance Transferable Moiré Gratings — M. Basehore and D. Post, 29-31 (May).
Holographic Interferometry: Errors Caused by Thermal Gradients in Holographic Plates, — D. Post and R. Czarnek, 25-28 (Dec.).
Installing an Axial Extensometer on a Test Specimen — D. Holm, 33 (Dec.).
Investigating Compression Failure Mechanisms in Composite Laminates with a Transparent Fiberglass-epoxy Birefringent Material — M.J. Shuart and J.G. Williams, 24-25 (Nov.).
Isoclinics Without Isochromatics: the Third Condition for Extinction — D.G. Berghaus, 21-22 (Nov.).
Linearity and Sensitivity Error in the Use of Single Strain Gages with Voltage-fed and Current-fed Circuits — M. Kreuzer, 30-35 (Oct.).
Local Least-squares Photoelastic Solutions at Stress Concentrations—Part I — D.G. Berghaus, 19-22 (June).
Local Least-squares Photoelastic Solutions at Stress Concentrations—Part II — D.G. Berghaus, 24-25 (July).
Measurement of Residual Strains and Stresses in Transparent Materials — A.S. Redner and W.E. Nickola, 29-32 (Feb.).
Measurement of Transient Stresses — E.D. Esparza, 38-39 (Dec.).
Measurement of Triaxial Residual Stresses in Railroad Rails—Measurement and Analysis Techniques — C.G. Schilling and G.T. Blake, 25-31 (Sept.).
Mold for Casting Photoelastic Models — J. Cernosek, 21-23 (July).
Multiple-spark Camera for Dynamic Photoelastic and Caustic Studies — A. Shukla and H. Nigam, 17-19 (Aug.).
Pinned-end Fixture for Off-axis Testing, A — B.W. Chang, P.H. Huang and D.G. Smith, 28-30 (June).
Random and Impulse Techniques for Measurement of Damping in Composite Materials — S.A. Suarez, R.F. Gibson and L.R. Deobald, 19-24 (Oct.).
Reflective Polariscope Demonstration — B.W. Cotterman and R.A. Bodre, 39 (May).
Road Simulator and Digital Oscilloscope Used for Fatigue Tests — A. Tegen, 34-37 (May).
Servomechanical-fatigue-test Machine, A — L.J. Ceschini, 34-37 (Feb.).
Simple Deflection Transducer — D.R. Hartdegen, 29 (Jan.).
Simple Measurement of Thermal Diffusivity, A — T. Iwaki, 20-21 (Aug.).
Simple, Quick and Accurate Method to Measure the Area Under Curves, A — J. Vossoughi, 26-27 (Oct.).
Soldering-iron 'Tips' for the Difficult Strain-gage Installation — H. Loze and A. Bazergui, 28-29 (Oct.).
Strain Measurement Within a Single-lap Joint Using Embedded Strain Gages — M.E. Tuttle, B.M. Barthelemy and H.F. Brinson, 31-35 (June).
Stress Gages — P.J. Sevenhuijsen, 26-27 (Mar.).
Test Method for Evaluation of Shear Modulus of Low-stiffness Material — V. Weissberg and S. Cioclia, 34-35 (Nov.).
Thickness Measurement for Soft Materials — J. Vossoughi, 32-33 (Sept.).
Three-dimensional Photoelastic Measurements with Very Thin Slices — J.S. Epstein, D. Post and C.W. Smith, 34-37 (Dec.).
Triaxial Load Cells for Monitoring Overhead Transmission Lines — N. Streat and N.W. Brodie, 27-29 (Nov.).
Vertical-displacement Gage Fixture for J_{1C} Testing — R.L. Gillespie, C.G. Go and S.E. Swartz, 32-33 (May).
Vibration Monitoring of Large Structures — C. Williams, 29-32 (Dec.).
Vibration Tests of Thin Cylindrical Shells — V.C.M. de Souza and J.G.A. Croll, 21-23 (Jan.).

Author Index

Allison, I.M. — Application of the Oblique-incidence Technique for Economic Photoelastic Analysis, 25-29 (Jan.).
Andonian, A.T. — Analysis of Stress Transmission in Skulls by Photoelastic Coatings, 19-22 (Mar.).
Asundi, M.K. — Experimental Method for Predicting Residual Stresses Due to Turning in Stainless Steel, 22-26 (Aug.).
Barthelemy, B.M. — Strain Measurement Within a Single-lap Joint Using Embedded Strain Gages, 31-35 (May).
Basehore, M. — High-frequency, High-reflectance Transferable Moiré Gratings, 29-31 (May).
Bazergui, A. — Soldering-iron 'Tips' for the Difficult Strain-gage Installation, 28-29 (Oct.).
Berghaus, D.G. — Local Least-squares Solutions at Stress Concentrations—Part I, 19-22 (June).
Local Least-squares Photoelastic Solutions at Stress Concentrations—Part II, 24-25 (July).
Isoclinics Without Isochromatics: the Third Condition for Extinction, 21-22 (Nov.).
Blake, G.T. — Measurement of Triaxial Residual Stresses in Railroad Rails—Measurement and Analysis Techniques, 25-31 (Sept.).
Bodre, R.A. — Reflective Polariscope Demonstration, 39 (May).
Brinson, H.F. — Strain Measurement Within a Single-lap Joint Using Embedded Strain Gages, 31-35 (June).
Brodie, N.W. — Triaxial Load Cells for Monitoring Overhead Transmission Lines, 27-29 (Nov.).
Cernosek, J. — Mold for Casting Photoelastic Models, 21-23 (July).
Ceschini, L.J. — A Servomechanical-fatigue-test Machine, 34-37 (Feb.).
Chang, B.W. — A Pinned-end Fixture for Off-axis Testing, 28-30 (June).
Cioclia, S. — Test Method for Evaluation of Shear Modulus of Low-stiffness Material, 34-35 (Nov.).
Clark, R.E. — Grating Recording for Moiré Testing, 23-26 (June).
Cook, W.H. — Dynamic Tensile Tests of Composite Materials Using a Split-Hopkinson Bar, 30-33 (Nov.).
Cotterman, B.W. — Reflective Polariscope Demonstration, 39 (May).
Croll, J.G.A. — Vibration Tests of Thin Cylindrical Shells, 21-23 (Jan.).
Czarnek, R. — Holographic Interferometry: Errors Caused by Thermal Gradients in Holographic Plates, 25-28 (Dec.).
De Souza, V.C.M. — Vibration Tests of Thin Cylindrical Shells, 21-23 (Jan.).
Deobald, L.R. — Random and Impulse Techniques for Measurement of Damping in Composite Materials, 19-24 (Oct.).
Devarajan, N. — Experimental Method for Predicting Residual Stresses Due to Turning in Stainless Steel, 22-26 (Aug.).
Dykstra, H.L. — Cable Splice for Hydro Service, 32 (Feb.).
Bulkhead Strain-gage Cable Penetration, 29 (Mar.).
Cable Water Stop, 33 (July).
Epstein, J.S. — Three-dimensional Measurements with Very Thin Slices, 34-37 (Dec.).
Esparza, E.D. — Measurement of Transient Stresses, 38-39 (Dec.).
Gibson, R.F. — Random and Impulse Techniques for Measurement of Damping in Composite Materials, 19-24 (Oct.).
Gillespie, R.L. — Vertical-displacement Gage Fixture for J_{1C} Testing, 32-33 (May).
Go, C.G. — Vertical-displacement Gage Fixture for J_{1C} Testing, 32-33 (May).
Harding, K.G. — Grating Recording for Moiré Testing, 23-26 (June).
Hartdegen, D.R. — Simple Deflection Transducer, 29 (Jan.).
Holm, D. — Installing an Axial Extensometer on a Test Specimen, 33 (Dec.).

INDEX TO
EXPERIMENTAL TECHNIQUES

Volume 8, 1984

Title Index

Analysis of Stress Transmission in Skulls by Photoelastic Coating — A.T. Andonian and A. Tudor, 19-22 (Mar.).
Application of a Peak-valley Detector for Secant Stiffness Measurement — R. Stiffler, 17-20 (Jan.).
Application of the Oblique-incidence Technique for Economic Photoelastic Analysis — I.M. Allison, 25-29 (Jan.).
Bonded-resistance Gages for Fatigue-crack Lengths in Nodular Iron — K.P. Jen, J.T. Scardina and D.G. Smith, 26-29 (Apr.).
Bulkhead Strain-gage Cable Penetration — H.L. Dykstra, 29 (Mar.).
Bulk-shear Testing of Solid-film Adhesives with Symmetric Rail-shear-test Specimen — E. Sancaktar, 27-30 (July).
Cable Splice for Hydro Service — H.L. Dykstra, 32 (Feb.).
Cable Water Stop — H.L. Dykstra, 33 (July).
Dynamic Tensile Tests of Composite Materials Using a Split-Hopkinson Pressure Bar — C.A. Ross, W.H. Cook and L.L. Wilson, 30-33 (Nov.).
Embedded Strain Gaging of Plastic Models — E.G. Little, 19-22 (Apr.).
Errors in Strain Measurement—The Human Factor (or How Much Do I Contribute?) — J. Pople, 34-38 (Sept.).
Euler Buckling Demonstration — Y. Sugiyama, 27-28 (Aug.).
Experimental Method for Predicting Residual Stresses Due to Turning in Stainless Steel — N. Devarajan, M.K. Asundi and S. Somasundaram, 22-26 (Aug.).
Gradient Approach to Thermocouple Circuitry, Part I—Background and Basic Premise, The — R.J. Moffat, 24-25 (Mar.).
Gradient Approach to Thermocouple Circuitry, Part II—Illustrations of the Method, The — R.J. Moffat, 23-25 (Apr.).
Grating Recording for Moiré Testing — K.G. Harding, S.H. Mersch and R.E. Clark, 23-26 (June).
High-frequency, High-reflectance Transferable Moiré Gratings — M. Basehore and D. Post, 29-31 (May).
Holographic Interferometry: Errors Caused by Thermal Gradients in Holographic Plates, — D. Post and R. Czarnek, 25-28 (Dec.).
Installing an Axial Extensometer on a Test Specimen — D. Holm, 33 (Dec.).
Investigating Compression Failure Mechanisms in Composite Laminates with a Transparent Fiberglass-epoxy Birefringent Material — M.J. Shuart and J.G. Williams, 24-25 (Nov.).
Isoclinics Without Isochromatics: the Third Condition for Extinction — D.G. Berghaus, 21-22 (Nov.).
Linearity and Sensitivity Error in the Use of Single Strain Gages with Voltage-fed and Current-fed Circuits — M. Kreuzer, 30-35 (Oct.).
Local Least-squares Photoelastic Solutions at Stress Concentrations—Part I — D.G. Berghaus, 19-22 (June).
Local Least-squares Photoelastic Solutions at Stress Concentrations—Part II — D.G. Berghaus, 24-25 (July).
Measurement of Residual Strains and Stresses in Transparent Materials — A.S. Redner and W.E. Nickola, 29-32 (Feb.).
Measurement of Transient Stresses — E.D. Esparza, 38-39 (Dec.).
Measurement of Triaxial Residual Stresses in Railroad Rails—Measurement and Analysis Techniques — C.G. Schilling and G.T. Blake, 25-31 (Sept.).
Mold for Casting Photoelastic Models — J. Cernosek, 21-23 (July).
Multiple-spark Camera for Dynamic Photoelastic and Caustic Studies — A. Shukla and H. Nigam, 17-19 (Aug.).
Pinned-end Fixture for Off-axis Testing, A — B.W. Chang, P.H. Huang and D.G. Smith, 28-30 (June).
Random and Impulse Techniques for Measurement of Damping in Composite Materials — S.A. Suarez, R.F. Gibson and L.R. Deobald, 19-24 (Oct.).
Reflective Polariscope Demonstration — B.W. Cotterman and R.A. Bodre, 39 (May).
Road Simulator and Digital Oscilloscope Used for Fatigue Tests — A. Tegen, 34-37 (May).
Servomechanical-fatigue-test Machine, A — L.J. Ceschini, 34-37 (Feb.).
Simple Deflection Transducer — D.R. Hartdegen, 29 (Jan.).
Simple Measurement of Thermal Diffusivity, A — T. Iwaki, 20-21 (Aug.).
Simple, Quick and Accurate Method to Measure the Area Under Curves, A — J. Vossoughi, 26-27 (Oct.).
Soldering-iron 'Tips' for the Difficult Strain-gage Installation — H. Loze and A. Bazergui, 28-29 (Oct.).
Strain Measurement Within a Single-lap Joint Using Embedded Strain Gages — M.E. Tuttle, B.M. Barthelemy and H.F. Brinson, 31-35 (June).
Stress Gages — P.J. Sevenhuijsen, 26-27 (Mar.).
Test Method for Evaluation of Shear Modulus of Low-stiffness Material — V. Weissberg and S. Cioclia, 34-35 (Nov.).
Thickness Measurement for Soft Materials — J. Vossoughi, 32-33 (Sept.).
Three-dimensional Photoelastic Measurements with Very Thin Slices — J.S. Epstein, D. Post and C.W. Smith, 34-37 (Dec.).
Triaxial Load Cells for Monitoring Overhead Transmission Lines — N. Streat and N.W. Brodie, 27-29 (Nov.).
Vertical-displacement Gage Fixture for J_{1C} Testing — R.L. Gillespie, C.G. Go and S.E. Swartz, 32-33 (May).
Vibration Monitoring of Large Structures — C. Williams, 29-32 (Dec.).
Vibration Tests of Thin Cylindrical Shells — V.C.M. de Souza and J.G.A. Croll, 21-23 (Jan.).

Author Index

Allison, I.M. — Application of the Oblique-incidence Technique for Economic Photoelastic Analysis, 25-29 (Jan.).
Andonian, A.T. — Analysis of Stress Transmission in Skulls by Photoelastic Coatings, 19-22 (Mar.).
Asundi, M.K. — Experimental Method for Predicting Residual Stresses Due to Turning in Stainless Steel, 22-26 (Aug.).
Barthelemy, B.M. — Strain Measurement Within a Single-lap Joint Using Embedded Strain Gages, 31-35 (May).
Basehore, M. — High-frequency, High-reflectance Transferable Moiré Gratings, 29-31 (May).
Bazergui, A. — Soldering-iron 'Tips' for the Difficult Strain-gage Installation, 28-29 (Oct.).
Berghaus, D.G. — Local Least-squares Solutions at Stress Concentrations—Part I, 19-22 (June).
Local Least-squares Photoelastic Solutions at Stress Concentrations—Part II, 24-25 (July).
Isoclinics Without Isochromatics: the Third Condition for Extinction, 21-22 (Nov.).
Blake, G.T. — Measurement of Triaxial Residual Stresses in Railroad Rails—Measurement and Analysis Techniques, 25-31 (Sept.).
Bodre, R.A. — Reflective Polariscope Demonstration, 39 (May).
Brinson, H.F. — Strain Measurement Within a Single-lap Joint Using Embedded Strain Gages, 31-35 (June).
Brodie, N.W. — Triaxial Load Cells for Monitoring Overhead Transmission Lines, 27-29 (Nov.).
Cernosek, J. — Mold for Casting Photoelastic Models, 21-23 (July).
Ceschini, L.J. — A Servomechanical-fatigue-test Machine, 34-37 (Feb.).
Chang, B.W. — A Pinned-end Fixture for Off-axis Testing, 28-30 (June).
Cioclia, S. — Test Method for Evaluation of Shear Modulus of Low-stiffness Material, 34-35 (Nov.).
Clark, R.E. — Grating Recording for Moiré Testing, 23-26 (June).
Cook, W.H. — Dynamic Tensile Tests of Composite Materials Using a Split-Hopkinson Bar, 30-33 (Nov.).
Cotterman, B.W. — Reflective Polariscope Demonstration, 39 (May).
Croll, J.G.A. — Vibration Tests of Thin Cylindrical Shells, 21-23 (Jan.).
Czarnek, R. — Holographic Interferometry: Errors Caused by Thermal Gradients in Holographic Plates, 25-28 (Dec.).
De Souza, V.C.M. — Vibration Tests of Thin Cylindrical Shells, 21-23 (Jan.).
Deobald, L.R. — Random and Impulse Techniques for Measurement of Damping in Composite Materials, 19-24 (Oct.).
Devarajan, N. — Experimental Method for Predicting Residual Stresses Due to Turning in Stainless Steel, 22-26 (Aug.).
Dykstra, H.L. — Cable Splice for Hydro Service, 32 (Feb.).
Bulkhead Strain-gage Cable Penetration, 29 (Mar.).
Cable Water Stop, 33 (July).
Epstein, J.S. — Three-dimensional Measurements with Very Thin Slices, 34-37 (Dec.).
Esparza, E.D. — Measurement of Transient Stresses, 38-39 (Dec.).
Gibson, R.F. — Random and Impulse Techniques for Measurement of Damping in Composite Materials, 19-24 (Oct.).
Gillespie, R.L. — Vertical-displacement Gage Fixture for J_{1C} Testing, 32-33 (May).
Go, C.G. — Vertical-displacement Gage Fixture for J_{1C} Testing, 32-33 (May).
Harding, K.G. — Grating Recording for Moiré Testing, 23-26 (June).
Hartdegen, D.R. — Simple Deflection Transducer, 29 (Jan.).
Holm, D. — Installing an Axial Extensometer on a Test Specimen, 33 (Dec.).

Huang, P.H. — A Pinned-end Fixture for Off-axis Testing, 28-30 (June).
Iwaki, T. — Simple Measurement of Thermal Diffusivity, 20-21 (Aug.).
Jen, K.P. — Bonded-resistance Gages for Fatigue-crack Lengths in Nodular Iron, 26-29 (Apr.).
Kreuzer, M. — Linearity and Sensitivity Error in the Use of Single Strain Gages with Voltage-fed and Current-fed Circuits, 30-35 (Oct.).
Little, E.G. — Embedded Strain Gaging of Plastic Models, 19-22 (Apr.).
Loze, H. — Soldering-iron 'Tips' for the Difficult Strain-gage Installation, 28-29 (Oct.).
Mersch, S.H. — Grating Recording for Moiré Testing, 23-26 (June).
Moffat, R.J. — The Gradient Approach to Thermocouple Circuitry, Part I—Background and Basic Premise, 24-25 (Mar.).
The Gradient Approach to Thermocouple Circuitry, Part II—Illustrations of the Method, 23-25 (Apr.).
Nickola, W.E. — Measurement of Residual Strains and Stresses in Transparent Materials, 29-32 (Feb.).
Nigam, H. — Multiple-spark Camera for Dynamic Photoelastic and Caustic Studies, 17-19 (Aug.).
Pople, J. — Errors in Strain Measurement—The Human Factor (or How Much Do I Contribute?), 34-38 (Sept.).
Post, D. — High-frequency, High-reflectance Transferable Moiré Gratings, 29-31 (May).
Holographic Interferometry: Errors Caused by Thermal Gradients in Holographic Plates, 25-28 (Dec.).
Three-dimensional Photoelastic Measurements with Very Thin Slices, 34-37 (Dec.).
Redner, A.S. — Measurement of Residual Strains and Stresses in Transparent Materials, 29-32 (Feb.).
Ross, C.A. — Dynamic Tensile Tests of Composite Materials Using a Split-Hopkinson Pressure Bar, 30-33 (Nov.).
Sancaktar, E. — Bulk-shear Testing of Solid-film Adhesives with Symmetric Rail-shear-test Specimen, 27-30 (July).
Scardina, J.T. — Bonded-resistance Gages for Fatigue-crack Lengths in Nodular Iron, 26-29 (Apr.).
Schilling, C.G. — Measurement of Triaxial Residual Stresses in Railroad Rails—Measurement and Analysis Techniques, 25-31 (Sept.).
Sevenhuijsen, P.J. — Stress Gages, 26-27 (Mar.).
Shuart, M.J. — Investigating Compression Failure Mechanisms in Composite Laminates with a Transparent Fiberglass-epoxy Birefringent Material, 24-25 (Nov.).
Shukla, A. — Multiple-spark Camera for Dynamic Photoelastic and Caustic Studies, 17-19 (Aug.).
Smith, C.W. — Three-dimensional Photoelastic Measurements with Very Thin Slices, 34-37 (Dec.).
Smith, D.G. — Bonded-resistance Gages for Fatigue-crack Lengths in Nodular Iron, 26-29 (Apr.).
A Pinned-end Fixture for Off-axis Testing, 28-30 (June).
Somasundaram, S. — Experimental Method for Predicting Residual Stresses Due to Turning in Stainless Steel, 22-26 (Aug.).
Stiffler, R. — Application of a Peak-valley Detector for Secant Stiffness Measurement, 17-20 (Jan.).
Streat, N. — Triaxial Load Cells for Monitoring Overhead Transmission Lines, 27-29 (Nov.).
Suarez, S.A. — Random and Impulse Techniques for Measurement of Damping in Composite Materials, 19-24 (Oct.).
Sugiyama, Y. — Euler Buckling Demonstration, 27-28 (Aug.).
Swartz, S.E. — Vertical-displacement Gage Fixture for J_{1C} Testing, 32-33 (May).
Tegen, A. — Road Simulator and Digital Oscilloscope Used for Fatigue Tests, 34-37 (May).
Tudor, A. — Analysis of Stress Transmission in Skulls by Photoelastic Coating, 19-22 (Mar.).
Tuttle, M.E. — Strain Measurement Within a Single-lap Joint Using Embedded Strain Gages, 31-35 (May).
Vossoughi, J. — Thickness Measurement for Soft Materials, 32-33 (Sept.).
A Simple, Quick and Accurate Method to Measure the Area Under Curves, 26-27 (Oct.).
Weissberg, V. — Test Method for Evaluation of Shear Modulus of Low-stiffness Material, 34-35 (Nov.).
Williams, C. — Vibration Monitoring of Large Structures, 29-32 (Dec.).
Williams, J.G. — Investigating Compression Failure Mechanisms in Composite Laminates with a Transparent Fiberglass-epoxy Birefringent Material, 24-25 (Nov.).
Wilson, L.L. — Dynamic Tensile Tests of Composite Materials Using a Split-Hopkinson Pressure Bar, 30-33 (Nov.).

U.S. POSTAL SERVICE

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Required by 39 U.S.C. 3685) Form Received 10-29-84

1. TITLE OF PUBLICATION	A. PUBLICATION NO	2. DATE OF FILING
EXPERIMENTAL TECHNIQUES		11-01-84
3. FREQUENCY OF ISSUE	4. NO. OF ISSUES PUBLISHED ANNUALLY	5. ANNUAL SUBSCRIPTION PRICE
Monthly	12	$40.00

6. COMPLETE MAILING ADDRESS OF KNOWN OFFICE OF PUBLICATION (Street, City, County, State and ZIP Code) (Not printers)
Society for Experimental Mechanics, 14 Fairfield Drive, Brookfield Center, CT 06805

7. COMPLETE MAILING ADDRESS OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHER (Not printer)
Same as Item #4.

8. FULL NAMES AND COMPLETE MAILING ADDRESS OF PUBLISHER, EDITOR, AND MANAGING EDITOR (This item MUST NOT be blank)

PUBLISHER (Name and Complete Mailing Address)
K. A. Gallone, Society for Experimental Mechanics, 14 Fairfield Drive, Brookfield Center, CT 06805

EDITOR (Name and Complete Mailing Address)
Same as above.

MANAGING EDITOR (Name and Complete Mailing Address)
M. E. Yergin, Society for Experimental Mechanics, 14 Fairfield Drive, Brookfield Center, CT 06805

9. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given. If the publication is published by a nonprofit organization, its name and address must be stated.) (Item must be completed)

FULL NAME	COMPLETE MAILING ADDRESS
Society for Experimental Mechanics	14 Fairfield Dr., Brookfield Center, CT 06805

10. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)

FULL NAME	COMPLETE MAILING ADDRESS
None	

11. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 411.3, DMM only)
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes (Check one)

(1) ☒ HAS NOT CHANGED DURING PRECEDING 12 MONTHS
(2) ☐ HAS CHANGED DURING PRECEDING 12 MONTHS (If changed, publisher must submit explanation of change with this statement.)

13. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES (Net Press Run)	4,280	4,300
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES	-0-	-0-
2. MAIL SUBSCRIPTION	3,850	3,868
C. TOTAL PAID CIRCULATION (Sum of 10B1 and 10B2)	3,850	3,868
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS (SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES)	220	214
E. TOTAL DISTRIBUTION (Sum of C and D)	4,070	4,082
F. COPIES NOT DISTRIBUTED 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	130	218
2. RETURN FROM NEWS AGENTS	-0-	-0-
G. TOTAL (Sum of E, F1 and 2 - should equal net press run shown in A)	4,200	4,300

11. I certify that the statements made by me above are correct and complete

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER
K A Gallone

PS Form 3526 June 1982 (Page 1) (See instruction on reverse)

Chairperson
Department of Metallurgy, Mechanics & Materials Science
Michigan State University

Applications and nominations are invited for the position of chairperson of the Department of Metallurgy, Mechanics and Materials Science at Michigan State University. Qualifications include an earned doctorate, a demonstrated ability in teaching and research, and evidence of ability to provide leadership, coordination and administration. The department offers B.S., M.S., and Ph.D. degrees and is committed to both undergraduate and graduate education and a vigorous research program. Send nominations or resumes to Chairperson, Metallurgy, Mechanics and Materials Science Search and Selection Committee, College of Engineering, Michigan State University, East Lansing, MI 48824. Initial screening of candidates will begin on March 1, 1985 but search will remain open until position is filled.

MSU IS AN AFFIRMATIVE ACTION/EQUAL OPPORTUNITY INSTITUTION